



## OAK PANELS WITHOUT FINGERJOIN1 READY TO USE PANELS

## STANDARD SIZES IN STOCK, SANFROMD THICKNESS

22 mm	1100 x from 900 to 1200
	1100 x from 1300 to 1500
	1100 x from 1600 to 1900
	1100 x from 2000 to 2400
	1100 x from 2500 to 2900
	1100 x 3000

1100 x from 900 to 1200 33 mm 1100 x from 1300 to 1500 1100 x from 1600 to 1900 1100 x from 2000 to 2400 1100 x from 2500 to 2900 1100 x 3000

40 mm 1100 x from 900 to 1200 1100 x from 1300 to 1500 1100 x from 1600 to 1900 1100 x from 2000 to 2400 1100 x from 2500 to 2900 1100 x 3000

42,5 mm 650 x from 900 to 1200 70 x 70 x 740

Characteristics of the PANELS

kiln-dried 10 % (+/- 2 %), wide lamellas : average 80 mm/+, D4 glue, both sides sanded G150,

all panels individually plastic wrapped.













## OAK PANELS WITH FINGERJOINT



STANDARD SIZES IN STOCK, SUPERIOR QUALITY, SANDED THICKNESS				
18 mm	1m10 x 4m50	36	pcs/bundle	
22 mm	1m10 x 4m50	30	pcs/bundle	
30 mm	0m71 x 3m65 0m81 x 3m65 1m21 x 3m65	32 32 20		
33 mm	1m10 x 4m50	20	pcs/bundle	
40 mm	0m65 x 4m50 0m65 x 5m10 1m10 x 4m50 1m21 x 3m00 1m21 x 4m50		pcs/bundle pcs/bundle pcs/bundle pcs/bundle pcs/bundle	
44 mm	1m10 x 4m50	15	pcs/bundle	
51 mm*	0m65 x 4m50	20	pcs/bundle	
56 mm*	0m65 x 4m50	20	pcs/bundle	
60 mm*	0m65 x 4m50	18	pcs/bundle	
SQUARES IN STOCK				
70 x 70 x 4500 85 x 85 x 4500		56 55	pcs/bundle pcs/bundle	
(*) - aubiant to availability				

(\*) = subject to availability

Characteristics of the PANELS kiln-dried 10 % (+/- 2 %), D4 glue, lamellas approx 45 mm (38-52), uniform in each panel, both sides sanded G180,

all panels individually plastic wrapped.

**WE ALSO PRODUCE TO YOUR SPECIFICATIONS** panels, squares, door frames, glued table legs, etc. minimum quantity: 5-10 m3 delivery time = approx 12 weeks.



With more than 5000 m3 permanent stock in panels and 17 years of panel experience, DB Hardwoods can guarantee a short delivery time (max 1 week) and a consistant quality. V.21.1





## www.dbhardwoods.com